Approved For Release 2001/07/27 : CIA-RDP81B00879R001000010067-1

ONC 162 Copy 8 of 8

16 December 1959

MEMORANDUM FOR: Chief, Materiel Branch, DPD

25X1A6a

SUBJECT:

Requirements

REFERENCE

DPD 8251-59, dated 3 December 1959

Regarding requirements requested in reference, there follows answers to those questions which are felt to be the responsibility of this Branch to provide. The numbering follows that of reference.

All figures and requirements are based on the assumption that all 25X1A6a test, training and operational employment will be

1. Jet flights

- a. Average number of flights per month 50. This is considered to be the peak number of sorties which will be flown when test, training and operations are being conducted simultaneously. This assumes the assignment of 12 aircraft.
- b. Number of planes to be billeted 12. This does not take into account attrition of sircraft being away from the site for any reason. Any reduction in the number of aircraft to be operated will reduce all other factors by a proportional amount.
 - c. Wheel leading, tire pressures, foot prints LAC.
- d. Special jet biast problems frost concentration and jet force affecting strip) LAC.
- e. Type fuel and quantities required Type fuel to be determined by LAC. Based on 12 aircraft flying 25 hours per mently, sufficient fuel will be required for a maximum of 300 hours per month.

DOCUMENT NO.

NO CHANGE IN CLASS. VI

L.I. DECLASSIFIED

Approved For Release 2007/0729 GIARDIANDIASTRIANDIAGONOSTS & C 2010

NEXT REVIEW DATE:

AUTH: HR 70.0

DATE DEDITO REVIEWER: 010956

This decument contains information contains to Project UASART

- L. Warm up pads- size, number required and special require-
 - & Are eliencers required at warm up and test pade? LAC.
 - h. Are silencers to be water cooled type? LAC.
 - i. Requirements for parking area, taxi ways and tie downs LAC.
- hanger and else LAC.
- 2. Support flights

Approved For Release 2001/07/27 : CIA-RDP81B00879R001000010067-1

- a. Size and type of equipment The aircraft which will be needed in support of this project will range from the F-104 for eignilar type) through C-124's.
- b. Average flights per month (various types) Considering daily courier runs, training flights in the F-104 or similar type, T-33 training flights and miscellaneous support flights, estimate 200 landings and 200 take-offs per month.
- There should be paved parking to accommodate four F-104's and two T-33's. Other conventional type support aircraft should have tie down facilities. In addition, the down facilities should be available for two conventional type transient aircraft.
- d. Type and quantity of fuel required For anticipated training using the F-104's and T-33's, a mosthly consumption of 75,000 gallons of JP-4 can be expected. A maximum of 5,000 gallons of 100 octahe per month for U-3 and C-47 sircraft for those times when refueling elsewhere is not feasible. Ordinarily conventional aircraft will arrive with sufficient fuel to reach another base.

25X1A6a

Approved For Release 2001/07/27: CIA-RDP81B00879R001000010067-1

a. Number of support planes to be billeted

(1) Four F-104's - training and chase

(2) Two T-33's - Instrument training and administration

(3) One C-54 (or C-136) - Cargo support and retrieve capability

(6) One C-47 - West coast area cargo/personnel siriff:

(5) Two U-3's - Administrative

f. Special maintenance facilities - Hangar space, necessary equipment, and personnel should be available for daily and unscheduled maintenance of all support aircraft. This is presuming scheduled maintenance will be performed elsewhere. Hangar space and handling equipment is especially necessary for the F-104's.

3. Building Facilities

Approved For Release 2001/07/27: CIA-RDP81B00879R001000010067-1

Approved For Release 2001/07/27 : CIA-RDP81B00879R001000010067-1

- a. Office Requirements Offices are required for the following Operations personnel. Other operations personnel will work in the areas required under paragraph f below.
 - (1) Director of Operations
 - (2) Deputy Director of Operations
 - (3) Communications Chief
 - (4) Physiologist
 - (5) intelligence Officer
 - (6) Flight Surgeon
 - (7) Westher Officer

With the exception of the base operations space listed in para f below, all effices listed in this paragraph and special rooms listed in para f should be in the same building. All space in this paragraph as well as paragraph if should be air conditioned.

b. Special inhoratory or testing facilities for electronic equipment, etc. - Two rooms having a total of 600 square feet for maintenance of airhorne radio and electronic gear. These rooms should be provided with a 115 voit 400 cycle 8 ampere power circuit and a 28 voit 15 ampere power circuit. For the Signal Center and radio room, two rooms totaling 200 square feet are required. Modification of the Signal Center to conform to Agency standards of security will be required.

Approved For Release 2001/07/27 : CIA-RDP81B00879R001000010067-1

Approved For Release 2001/07/27: CIA-RDP81B00879R001000010067-1

- c. Special requirements for photo equipment This item is referred to the Davelopments Branch. Consideration should be given to configuration storage and maintenance, as well as for film storage. Film storage space for thirty sorties should be provided.
- d. Special maintenance facilities Other than that required for maintenance of special flight gear, which is included in the personal equipment requirements listed in para f below, so other special equipment maintenance facilities are anticipated.
- a. Fire Station Cresh fire equipment adequate to handle the above listed flying activity will be required. Structural fire equipment requirements are referred to the Materiel Branch.
- 6. Special Requirements for Operations Building The following listed separate rooms will be required. Together with the office space listed in para a above these should all be housed in the same building.
 - (1) Briefing room 20x30 feet
 - (2) Flight planning room adjacent to the briefing room 20x30 feet
 - (3) A dispensary room 15x20 fest adjacent to the Flight Surgeon's office
 - (4) Prebreathing room 15s20 feet.
 - (5) Two recess 15m20 feet for storage and maintenance of both special and common flight equipment. The se should be adjacent to the prebreathing room and the office of the Physiologist.
 - (6) Crew dressing and shower room 12x15 feet. This room should be adjacent to the prebreathing and personal equipment room listed above and should include plumbing and wiring for automatic laundry equipment needed for washing flight gear.
 - (7) A crew lounge 20x30 feet to be used by air crew personnel when not engaged in flying activity or preparation therefor, but who may, at the same time, be required to be immediately available. This is considered necessary to avoid having unoccupied crew members lengting around in the personal equipment, briefing or flight planning rooms.

- g. Handling and storage of am cial flight gear This will be provided in the space requested in paras a and f above.
 - b. Wash Rack Materiel.
- 4. Personnel Accommodation
- a. BOQ or quarters Space for a total of 36 Operations people which includes 10 drivers and 2 LAC pilets.
- b. Recreation facilities Adequate facilities for both indoor and outdoor recreation should be provided.
 - c. Laundry Materiel.

SIGNED

STANLEY W. BEERLI Colonel USAF Chief, Operations Branch, DPD

CFO:bre

142 - sades

- 3 AC/DPD
- 4 C/ADMON/DPD
- 5 C/DB/DFD
- 6 Ope/DPD
- 7 Ops/DPD chron
- 8 RI/DPD

Approved For Release 2001/07/27: CIA-RDP81B00879R001000010067-1